

DNA Condensation Reactions in Microchannel Mixing Devices Observed by Microbeam-SAXS

Otten A.¹, Köster S.¹, Struth B.², Snigirev A.², <u>Pfohl T.¹</u> ¹Angewandte Physik, Universität Ulm, Albert-Einstein-Allee 11, D-89069 Ulm, ²ESRF, 6 Rue Jules Horowitz, 38043 Grenoble Cedex



Introduction

The application of microfluidic devices does not only allow us to analyze small volume fractions of e.g. biomaterial solutions but also gives access to faster observations and improved sample characterization. We use a microchannel device consisting of two crossed channels to examine the behavior of biomacromolecules in elongational flow as well as for studies on biomaterial aggregation. In our microfluidic focusing device a microjet flow is achieved by hydrodynamic focusing of a center stream by two symmetric side streams. The elongational flow and the biomaterial aggregation are studied by using microbeam-SAXS (small angle X-ray scattering) technique. To achieve a spatial resolution of 20µm, the x-ray beam is focused by compound refractive lenses. We present SAXS data on different columnar liquid crystalline phases of DNA condensed by polyamine dendrimers for different DNA/dendrimer concentrations. These phases can be observed under continuous flow and due to microfocusing intermediate regions of the phase transitions can be examined.

Hydrodynamic Focussing

ID10b Microbeam SAXS Setup



Control of Stream Widths by Flow Rates Q₁ and Q₂



Low Material Consumption (pL/sec)
 Time Resolution Along Stream Direction
 Observation of Mixing Reactions





In V2A Eroded Channels with PDMS Cover and PMMA Connector





Fresnel Zone Plate

Compound Refractive Lenses



4. No Sample Damage due to High Beam Intensities
5. Orientation Higher Correlation Length Symmetry in LC-Phases
6. Cascadable Setup - Assembly Line

0,06 0,08 0,10 0,12

DNA - Dendrimer G4 Complex Formation

a.) Channel Flow Elongation



DNA (\emptyset =2nm) Complexation Reaction with Positively Charged Polyamine Dendrimers (\emptyset =3,2nm) Observed by Microbeam SAXS Using Compound Refractive Lenses.



Phase Diagram





Transition from Hexagonal* to Square Lattice Along the Jet x-Direction from Center (White) to x=60µm (Yellow).



N/P – Ratio Positive Charge (Amine/Dendrimer) to Negative Charge (Phosphate/DNA)

Structural Change from Hexagonal* (I.) to Square (II.) to Hexagonal (III.) Phase by Increasing Dendrimer Volume Fraction.



Evans et al. PRL 2003

Observation of Multiple Supramolecular-Phases in one Experimental Run by Tuning the Reactants Concentration and the Flow Rates.