

## Publications of Christoph Hennig

(last update March 2010)

- [95] Hennig, C., Ikeda-Ohno, A., Emmerling, F., Kraus, W., Bernhard, G.  
Comparative investigation of the solution species  $[\text{U}(\text{CO}_3)_5]^{6-}$  and the crystal structure of  $\text{Na}_6[\text{U}(\text{CO}_3)_5] \cdot 12\text{H}_2\text{O}$   
*Dalton Trans.* **39** (2010) 3744–3750.
- [94] Jeanson, A., Ferrand, M., Funke, H., Hennig, C., Moisy, P., Solari, P.L., Vidaud, C., Den Auwer, C.  
The role of transferrin in Actinide(IV) uptake: Comparison with Iron(III)  
*Chem. Eur. J.* **16** (2010) 16, 1378 – 1387
- [93] Takao, K., Kato, M., Takao, S., Nagasawa, A., Bernhard, G., Hennig, C., Ikeda, Y.  
Molecular structure and electrochemical behavior of Uranyl(VI) complex with pentadentate Schiff Base ligand:  
prevention of Uranyl(V) cation-cation interaction by fully chelating equatorial coordination sites  
*Inorg. Chem.* **49** (2010) 2349–2359
- [92] Takao, K., Takao, S., Scheinost, A.C., Bernhard, G., Hennig, C.  
In situ spectroelectrochemical investigation of Pt(II/IV) oxidation in aqueous  
solution using X-ray absorption spectroscopy  
*Inorganica Chimica Acta* **363** (2010) 802–806.
- [91] Ikeda-Ohno, A., Tsushima, S., Takao, K., Rossberg, A., Funke, H., Scheinost, A.C., Bernhard, G., Yaita, T.,  
Hennig, C.  
Neptunium carbonato complexes in aqueous solution: An electrochemical, spectroscopic, and quantum Chemical  
study  
*Inorg. Chem.* **48** (2009) 11779–11787.
- [90] Hennig, C., Ikeda-Ohno, A., Tsushima, S., Scheinost, A.C.  
The sulfate coordination of Np(IV), Np(V) and Np(VI) in aqueous solution  
*Inorg. Chem.* **48** (2009) 5350-5360.
- [89] Takao, S., Takao, K., Kraus, W., Emmerling, F., Scheinost, A.C., Bernhard, G., Hennig, C.  
First hexanuclear  $\text{U}^{\text{IV}}$  and  $\text{Th}^{\text{IV}}$  formate complexes – structure and stability range in solution  
*Eur. J. Inorg. Chem.* (2009) 4771-4775.
- [88] Di Giandomenico, M.V., Le Naour, C., Simoni, E., Guillaumont, D., Moisy, Ph., Hennig, C., Conradson,  
S.D., Den Auwer, C.  
Structure of early actinides(V) in acidic solutions  
*Radiochim. Acta* **97** (2009) 347-353.
- [87] Ikeda-Ohno, A., Hennig, C., Tsushima, S., Scheinost A.C., Bernhard, G., Yaita, T.  
Speciation and structural study of U(IV) and –U(VI) in perchloric and nitric acid solutions  
*Inorg. Chem.* **48** (2009) 7201-7210.
- [86] Bonin, L., Guillaumont, D., Jeanson, A., Den Auwer, C., Grigoriev, M., Berthet, J.-C., Hennig, C.,  
Scheinost, A.C., Moisy, Ph.  
Thermodynamics and structure of actinide(IV) complexes with nitriloacetic acid  
*Inorg. Chem.* **48** (2009) 3943-3953
- [85] Jeanson, A., Berthon, C., Coantic, S., Den Auwer, C., Floquet, N., Funke, H., Guillaneux, D., Hennig, C.,  
Martinez, J., Moisy, P., Petit, S., Proux, O., Quémeneur, E., Solarig, P.L., Subrac, G.  
The role of aspartyl-rich pentapeptides in comparative complexation of actinide(IV) and iron(III).  
*New J. Chem.* **33** (2009) 976-985.
- [84] Takao, K., Tsushima, T., Takao, S., Scheinost, A.C., Bernhard, G., Ikeda, Y., Hennig, C.  
X-ray absorption fine structures of uranyl(V) complexes in a nonaqueous solution  
*Inorg. Chem.* **48** (2009) 9602-9604.
- [83] Takao, K., Takao, S., Scheinost, A.C., Bernhard, G., Hennig, C.  
Complex formation and molecular structure of neptunyl(VI) and –(V) acetates  
*Inorg. Chem.* **48** (2009) 8803-8810.

- [82] Sornein, M.-O., Mendes, M., Cannes, C., Le Naour, C., Nockemann, P., Van Hecke, K., Van Meervelt, L., Berthet, J.-C., Hennig, C.  
Coordination of uranyl bromide in solid [Bmim]<sub>2</sub>[UO<sub>2</sub>Br<sub>4</sub>] and in the ionic liquid [Bmim][Tf<sub>2</sub>N]  
Tetrahedron **28** (2009) 1281-1286.
- [81] Seco, F., Hennig, C., de Pablo, J., Rovira, M., Rojo, I., Marti, V., Giménez, J., Duro, L., Grive, M., Bruno, J.  
Sorption of Th(IV) onto iron corrosion products: EXAFS study  
Environ. Sci. Technol. **43** (2009) 2825-2830.
- [80] Nockemann, P., Thijs, B., Lunstroot, K., Parac-Vogt, T. N., Görrler-Walrand, C., Binnemans, K., Van Hecke, K., Van Meervelt, L., Nikitenko, S., Daniels, J., Hennig, C., Van Deun, R.  
Speciation of rare-earth metal complexes in ionic liquids: a multiple-technique approach  
Chem. Eur. J. **15** (2009) 1449-1461.
- [79] Hennig, C., Ikeda, A., Schmeide, K., Brendler, V., Moll, H., Tsushima, S., Scheinost, A.C., Skanthakumar, S., Wilson, R., Soderholm, L., Servaes, K., Görrler-Walrand, C., Van Deun, R.  
The relationship of monodentate and bidentate coordinated uranium(VI) sulfate in aqueous solution  
Radiochim. Acta, **96** (2008) 607-611.
- [78] Hennig, C., Le Naour, C., Den Auwer, C.  
**Double photoexcitation involving 2p and 4f electrons in L<sub>3</sub>-edge x-ray absorption spectra of protactinium**  
Phys. Rev. B **77** (2008) 235102/1-235102/6.
- [77] Hennig, C., Servaes, K., Nockemann, P., Van Hecke, K., Van Meervelt, L., Wouters, J., Fluyt, L., Görrler-Walrand, C., Van Deun, R.  
Species distribution and coordination of uranyl chloro complexes in acetonitrile  
Inorg. Chem. **47** (2008) 2987-2993.
- [76] Hennig, C., Kraus, W., Emmerling, F., Ikeda, A., Scheinost, A.C.  
Coordination of a uranium(IV) monomer in aqueous solution and in solid state  
Inorg. Chem. **47** (2008) 1634-1638.
- [75] Ikeda-Ohno, A., Hennig, C., Rossberg, A., Funke, H., Scheinost, A.C., Bernhard, G., Yaita T.  
Electrochemical and complexation behavior of neptunium in aqueous perchlorate and nitrate solutions  
Inorg. Chem. **47** (2008) 8294-8305.
- [74] Ikeda, A., Hennig, C., Rossberg, A., Tsushima, S., Scheinost, A.C., Bernhard, G.  
Structural determination of individual chemical species in a mixed system by iterative transformation factor analysis - based x-ray absorption spectroscopy combined with UV-visible absorption and quantum chemical calculation  
Anal. Chem. **80** (2008) 1102-1110.
- [73] Hennig, C., Schmeide, K., Brendler, V., Moll, H., Tsushima, S., Scheinost, A.C.  
EXAFS investigation of U(VI), U(IV), and Th(IV) sulfato complexes in aqueous solution  
Inorg. Chem. **46** (2007) 5882
- [72] Hennig, C.  
Evidence for double-electron excitation in the L<sub>3</sub>-edge x-ray absorption spectra of actinides  
Phys. Rev. B **75** (2007) 035120-1-7.
- [71] Merroun, M., Rossberg, A., Hennig, C., Scheinost, A.C., Selenska-Pobell, S.  
Spectroscopic Characterization of gold nanoparticles formed by cells and S-Layer protein of Bacillus sphericus JG-A12  
Materials Sci. Engineering C **27** (2007) 188-192.
- [70] Nedelkova, M., Merroun, M.L., Rossberg, A., Hennig, C., Selenska-Pobell, S.  
Microbacterium isolates from the vicinity of a radioactive waste depository and their interactions with uranium  
FEMS Microbiol. Ecol. **59** (2007) 694-705.
- [69] Servaes, K., Hennig, C., Billard, I., Gaillard, C., Binnemans, K., Görrler-Walrand, C., Van Deun, R.

Speciation of uranyl nitrate complexes in acetonitrile and in the ionic liquid 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide  
Eur. J. Inorg. Chem. (2007) 5120-5126.

[68] Martin, P., Grandjean, S., Valot, C., Carlot, G., Ripert, M., Blanc, P., Hennig, C.  
XAS study of  $(U_{1-y}Pu_y)O_2$  solid solutions  
J. Alloys Compounds **444-445** (2007) 410-414.

[67] Gaillard, C., Chaumont, A., Billard, I., Hennig, C., Ouadi, A., Wipff, G.  
Uranyl coordination in ionic liquids. The competition between ionic liquid anions, uranyl counterions and  $Cl^-$  anions investigated by EXAFS, UV-vis spectroscopies and molecular dynamics simulations.  
Inorg. Chem. **46** (2007) 4815

[66] Nikitenko, S.I., Hennig, C., Grigoriev, M.S., Le Naour, C., Cannes, C., Trubert, D., Bossé, E., Berthon, C., Philippe Moisy, P.  
Structural and spectroscopic studies of the complex  $[BuMeIm]_2[UCl_6]$  in the solid state and in hydrophobic room temperature ionic liquid  $[BuMeIm][Tf_2N]$ ,  
Polyhedron **26** (2007) 3136-3142-

[65] Ikeda, A., Hennig, C., Tsushima, S., Takao, K., Ikeda, Y., Scheinost, A.C., Bernhard, G.  
Comparative study of uranyl(VI) and -(V) carbonate complexes in an aqueous solution  
Inorg. Chem. **46** (2007) 4212-4219.

[64] Hennig, C., Schmeide, K., Brendler, V., Moll, H., Tsushima, S., Scheinost, A.C.  
The structure of uranyl sulfate in aqueous solution - monodentate versus bidentate coordination  
In: *X-ray Absorption Fine Structure - XAFS13*, edited by B. Hedman and P. Pianetta  
American Institute of Physics (2007) 262-264.

[63] Den Auwer, C., Guilbaud, P., Guillaumont, D., Moisy, P., Digandomenico, V., Le Naour, C., Trubert, D., Simoni, E., Hennig, C., Scheinost, A., Conradson, S.D.  
Molecular characterization of actinide oxocations from protactinium to plutonium  
In: *X-ray Absorption Fine Structure - XAFS13*, edited by B. Hedman and P. Pianetta  
American Institute of Physics (2007) 184-186

[62] Billard, I., Gaillard, C., Hennig, C.  
Dissolution of  $UO_2$ ,  $UO_3$  and of some lanthanide oxides in bumim $Tf_2N$ : effect of acid and water and formation of  $UO_2(NO_3)^{3-}$   
Dalton Trans. **37** (2007) 4214-4221

[61] Fillaux, C., Berthet, J.-C., Conradson, S.D., Guilbaud, P., Guillaumont, D., Hennig, C., Moisy, P., Roques, J., Simoni, E., Shuh, D.K., Tyliczszak, T., Castro-Rodriguez, I., Den Auwer, C.  
Combining theoretical chemistry and XANES multi-edge experiments to probe actinide valence states  
Comptes Rendus Chimie, **10** (2007) 859-871.

[60] Hennig, C.  
Polarization effects in EXAFS spectra at the uranium  $L_I$  and  $L_3$  edge – a comparison between theory and experiment  
In: *Recent Advances in Actinide Science* (Ed. I. May, R. Alvarez, N. Bryan)  
RCS Publishing, The Royal Society of Chemistry, Cambridge, 2006, p. 716-718.

[59] Moll, H., Merroun, M.L., Hennig, C., Rossberg, A., Selenska-Pobell, S., Bernhard, G.  
The interaction of *Desulfovibrio äspöensis* DSM 10631<sup>T</sup> with plutonium  
Radiochim. Acta **94** (2006) 815-824.

[58] Bhatt, A. I., Kinoshita, H., Koster, A. L., May, I., Sharrad, C., Steele, H. M., Volkovich, V. A., Fox, O. D., Jones, C. J., Lewin, B. G., Charnock, J. M., Hennig, C.  
Actinide, lanthanide, and fission product speciation and electrochemistry in ionic melts  
In: *Separation for the nuclear fuel cycle in the 21st Century*. ACS Symposium Series **933** (2006) 219-231.

[57] Merroun, M., Nedelkova, M., Rossberg, A., Hennig, C., Scheinost, A.C., Selenska-Pobell, S.  
Interaction mechanism of uranium with bacterial strains isolated from extreme habitats  
In: *Recent Advances in Actinide Science* (Ed. I. May, R. Alvarez, N. Bryan)

RCS Publishing, The Royal Society of Chemistry, Cambridge, 2006, p. 47-49.

[56] Fahmy, K., Merroun, M., Pollmann, K., Raff, J., Savchuk, O., Hennig, C., Selenska-Pobell, S. Secondary structure and Pd(II) coordination in S-Layer Proteins from *Bacillus sphaericus* studied by Infrared and X-ray absorption spectroscopy  
Biophysical J. **91** (2006) 996-1007.

[55] Merroun, M., Nedelkova, M., Rossberg, A., Hennig, C., Selenska-Pobell, S. Interaction mechanism of uranium of bacterial strains isolated from extreme habitats with uranium  
Radiochim. Acta **94** (2006) 723-729.

[54] Den Auwer, C., Moisy, P., Guillaumont, D., Vidaud, C., Funke, H., Hennig, C. Structural investigation of Neptunium(IV) in toxicological processes  
Mater. Res. Soc. Symp. Proc. **893** (2006) 315-323.

[53] Deschanel, X., Picot, V., Glorieux, B., Jorion, F., Peugeot, S., Roudil, D., Je'gou, C., Broudic, V., Cachia, J.N., Advocat, T., Den Auwer, C., Fillet, C., Coutures, J.P., Hennig, C., Scheinost, A. Plutonium incorporation in phosphate and titanate ceramics for minor actinide containment  
J. Nuclear Mat. **352** (2006) 233-240.

[52] Cachia, J.-N., Deschanel, X., Den Auwer, C., Pinet, O., Phalippou, J., Hennig, C., Scheinost, A. Enhancing cerium and plutonium solubility by reduction in borosilicate glass  
J. Nuclear Mat. **352** (2006) 182-189.

[51] Montavon, G., Hennig, C., Janvier, P., Grambow, B. Comparison of complexed species of Eu in alumina-bound and free polyacrylic acid: A spectroscopic study  
J. Colloid Interface Sci. **300** (2006) 482-490.

[50] Poineau, F., Fattahi, M., Den Auwer, C., Hennig, C., Grambow, B. Speciation of technetium and rhenium complexes by *in situ* XAS-electrochemistry  
Radiochim. Acta **94** (2006) 283-289.

[49] Stumpf, S., Stumpf, T., Dardenne, K., Hennig, C., Foerstendorf, H., Klenze, H., Fanghänel, T. Sorption of Am(III) onto 6-Line-Ferrihydrite and its alteration products: Investigations by EXAFS  
Environ. Sci. Technol. **40** (2006) 3522-3528.

[48] Pollmann, K., Merroun, M., Raff, J., Hennig, C., Selenska-Pobell, S. Manufacturing and characterization of Pd nanoparticles formed on immobilized bacterial cells  
Lett. Applied Microbiol. **43** (2006) 39-45.

[47] Hennig, C., Tutschku, J., Rossberg, A., Bernhard, G., Scheinost, A.C. Comparative EXAFS investigation of uranium(VI) and -(IV) aquo chloro complexes in solution using a newly developed spectroelectrochemical cell  
Inorg. Chem. **44** (2005) 6655-6661.

[46] Scheinost, A.C., Hennig, C., Somogyi, A., Martinez-Criado, G., Knappik, R. Uranium speciation in two Freital mine tailing samples: EXAFS, micro-XRD, and micro-XRF results  
In: Uranium in the Environment: Mining Impact and Consequences (ed. Merkel, B.J.; Hasche-Berger, A. ), Springer Verlag, Berlin, 117-126 (2005).

[45] Le Naour, C., Trubert, D., Di Giandomenico, M.V., Fillaux, C., Den Auwer, C., Moisy, P., Hennig, C. First structural characterization of a protactinium(V) single oxo bond in aqueous media  
Inorg. Chem. **44** (2005) 9542-9546.

[44] Servaes, K., Hennig, C., Van Deun, R., Görrler-Walrand, C. Structure of  $[\text{UO}_2\text{Cl}_4]^{2-}$  in acetonitrile  
Inorg. Chem. **44** (2005) 7705-7707.

[43] Merroun, M.L., Raff, J., Rossberg, A., Hennig, C., Reich, T., Selenska-Pobell, S. Complexation of uranium by cells and S-layer sheets of bacillus sphaericus JG-A12  
Appl. Environ. Microbiology **71** (2005) 5532-5543.

- [42] Gaillard, C., El Azzi, A., Billard, I., Bolvin, H., Hennig, C.  
Uranyl complexation in fluorinated acids (HF, HBF<sub>4</sub>, HPF<sub>6</sub>, HTf<sub>2</sub>N)  
A combined experimental and theoretical study  
Inorg. Chem. **44** (2005) 852-861.
- [42] Hennig, C., Reich, T., Kraus, W., Reck, G., Prokert, F., Schell, N.  
Combining EXAFS and X-ray powder Diffraction to solve structures containing heavy atoms  
Physica Scripta, **T115** (2005) 352-355.
- [41] Stumpf, T., Hennig, C., Bauer, A., Denecke, M.A., Fanghänel, T.  
An EXAFS and TRLFS study of the sorption of trivalent actinides onto smectite and kaolinite  
Radiochim. Acta **92** (2004) 133-138.
- [40] Maes, A., Geraedts, K., Bruggeman, C., Vancluysen, J., Rossberg, A., Hennig, C.  
Evidence for the Interaction of Technetium colloids with humic substances by X-ray absorption spectroscopy  
Environ. Sci. Technol. **38** (2004) 2044-2051.
- [39] Livens, F.R., Jones, M.J., Hynes, A.J., Charnock, J.M., Mosselmans, J.F.W., Hennig, C., Steele, H., Collins, D., Vaughan, D.J., Patrick, R.A.D., Reed, W.A., Moyes, L.N.  
X-ray absorption spectroscopy studies of reactions of technetium, uranium and neptunium with mackinawite  
J. Environ. Radioactivity **74** (2004) 211-219.
- [38] Hennig, C., Reck, G., Reich, T., Roßberg, A., Kraus, W., Sieler, J.  
EXAFS and XRD investigations of zeunerite and meta-zeunerite  
Z. Krist., **218** (2003) 37-45
- [37] Martin, P., Ripert, M., Petit, T., Reich, T., Hennig, C., D'Acapito, F., Hazemann, J.L., Proux, O.  
A XAS study of the local environments of cations in (U,Ce)O<sub>2</sub>  
J. Nuclear Mat. **312** (2003) 103-110
- [36] Merroun, M., Hennig, C., Reich, T., Selenska-Pobell, S.  
Characterization of U(VI)-*Acidithiobacillus ferrooxidans* complexes using EXAFS, transmission electron microscopy, and energy-dispersive X-ray analysis  
Radiochim. Acta **91** (2003) 583-591
- [35] Hennig, C., Reich, T., Dähn, R., Scheidegger, A.M.  
Structure of uranium sorption complexes at montmorillonite edge sites  
Radiochim. Acta **90** (2002) 653-657
- [34] Moyes, L.N., Jones, M.J., Reed, W.A., Livens, F.R., Charnock, J.M., Mosselmans, J.F.W., Hennig, C., Vaughan, D.J., Patrick, R.A.D.  
An X-ray absorption spectroscopy study of neptunium(V) reactions with mackinawite (FeS)  
Environ. Sci. Technol. **36** (2002) 179-183
- [33] Merroun, M., Hennig, C., Rossberg, A., Geipel, G., Reich, T., Selenska-Pobell, S.  
Molecular and atomic analysis of uranium complexes formed by three eco-types of *Acidithiobacillus ferrooxidans*  
Biochem. Soc. Trans. **30** (2002) 669-672
- [32] Zänker, H., Moll, H., Richter, W., Brendler, V., Hennig, C., Reich, T., Kluge, A., Hüttig, G.  
The colloid chemistry of acid rock drainage solution from an abandoned Zn-Pb-Ag mine  
Applied Geochem. **17** (2002) 633-648
- [31] Hennig, C., Panak, P.J., Reich, T., Rossberg, A., Raff, J., Selenska-Pobell, S., Matz, W., Bucher, J.J., Bernhard, G., Nitsche, H.  
EXAFS investigation of uranium(VI) complexes formed at *Bacillus cereus* and *Bacillus sphaericus* surfaces  
Radiochim. Acta **89** (2001) 625-631
- [30] Hennig, C., Reich, T., Funke, H., Rossberg, A., Rutsch, M., Bernhard, G.  
**EXAFS as a tool for bond-length determination in the environment of heavy atoms**  
J. Synchrotron Rad. **8** (2001) 695-697

- [29] Sémon, L., Boehme, C., Billard, I., Hennig, C., Lützenkirchen, K., Reich, T., Rossberg, A., Rossini, I., Wipff, G.  
Do perchlorate and triflate anions bind to the uranyl cation in an acidic aqueous medium?  
A combined EXAFS and quantum mechanical investigation  
Chem. Phys. Chem. **2** (2001) 591-598
- [28] Seifert, S., Künstler, J.-U., Gupta, A., Funke, H., Reich, T., Hennig, C., Rossberg, A., Pietzsch, H.-J., Alberto, R., Johannsen, B.  
EXAFS analyses in radiopharmaceutical research; stability studies of technetium (I) carbonyl complexes in solution  
ESRF Highlights **2000** (2001) 22-23
- [27] Reich, T., Rossberg, A., Hennig, C., Reich, G.  
Characterization of chromium complexes in chrome tannins, leather, and gelatin using extended X-ray absorption fine structure (EXAFS) spectroscopy  
J. Am. Leather Chem. Assoc. **96** (2001) 133-147
- [26] Hennig, C., Reich, T., Rossberg, A., Funke, H., Bernhard, G.  
EXAFS as a tool for bond-length determination in the environment of heavy atoms  
Z. Krist. Suppl. **17** (2000) 81
- [25] Rossberg, A., Baraniak, L., Reich, T., Hennig, C., Bernhard, G., Nitsche H.  
EXAFS structural analysis of aqueous uranium(VI) complexes with lignin degradation products  
Radiochim. Acta **88** (2000) 593-597
- [24] Reich, T., Bernhard, G., Geipel, G., Funke, H., Hennig, C., Rossberg, A., Matz, W. Schell, N., Nitsche, H.  
The Rossendorf Beamline at ROBL – a dedicated experimental station for XAFS measurements of actinides and other radionuclides  
Radiochim. Acta **88** (2000) 633-637
- [23] Moll, H., Reich, T., Hennig, C., Rossberg, A., Szabó, Z., Grenthe, I.  
Solution coordination chemistry of uranium in the binary  $\text{UO}_2^{2+}$  -  $\text{SO}_4^{2-}$  and the ternary  $\text{UO}_2^{2+}$  -  $\text{SO}_4^{2-}$  -  $\text{OH}^-$  system  
Radiochim. Acta **88** (2000) 559-566
- [22] Seifert, S., Künstler, J.-U., Gupta, A., Funke, H., Reich, T., Hennig, C., Rossberg, A., Pietzsch, H.-J.  
EXAFS analyses of technetium(I) carbonyl complexes - stability studies in solution  
Radiochim. Acta **88** (2000) 239-245
- [21] Reich, T., Geipel, G., Funke, H., Hennig, C., Rossberg, A., Bernhard, G.  
Plutonium. XAFS measurements of plutonium hydrates  
ESRF Highlights 1999 (2000) 32-33
- [20] Hennig, C., Hallmeier, K.H., Zahn, G., Hennig, H., Tschwatschal, F.  
Conformational influence of dithiocarbazine acid bis-hydrazone ligands on the structure of zinc (II) complexes: a comparative XANES study  
Inorg. Chem. **38** (1999) 38-43
- [19] Hennig, C., Geist, V., Heide, G.  
Investigation of the rhabdite/kamacite law of intergrowth in iron meteorites with the aid of the kossel technique  
Meteoritics & Planetary Science **34** (1999) 61-66
- [18] Hennig, C., Nolze, G.  
Texture analysis of EXAFS samples using the Rietveld method  
Z. Krist. Suppl. **16** (1999) 157
- [17] Hennig, C., Reich, T., Rossberg, A., Funke, H., Rutsch, M., Geipel, G., Nitsche, H., Bernhard, G.  
Local structure analysis of uranium phosphates and arsenates using EXAFS spectroscopy  
Z. Krist. Suppl. **16** (1999) 158
- [16] Hennig, C., Hallmeier, K.H., Szargan, R.

XANES investigation of chemical states of nitrogen in polyaniline  
*Synthetic Metals* **92** 2 (1998) 161-166

[15] Hennig, C., Denecke, M.A., Rossberg, A., Zahn, G., Reich, T., Nitsche, H.  
U L<sub>III</sub> polarized XAFS studies on Ba[UO<sub>2</sub>PO<sub>4</sub>]<sub>2</sub>·8H<sub>2</sub>O  
*Z. Krist. Suppl.* (1998) 156

[14] Geist, V., Hennig, C.  
Kristallographische Untersuchungen an meteoritischem (Fe,Ni)-Phosphid  
*Z. Krist. Suppl.* (1998) 106

[13] Reich, T., Moll, H., Arnold, T., Denecke, M.A., Hennig, C., Geipel, G., Bernhard, G., Nitsche, H., Allen, P.G., Bucher, J.J., Edelstein, N.M., Shuh, D.K.  
An EXAFS study of uranium(VI) sorption onto silica gel and ferrihydrite  
*J. Electron Spectrosc. Related Phenom.* **96** (1998) 237

[12] Hennig, C., Heide, G., Geist, V.  
A new method for determination of the (Fe,Ni)-phosphide orientation in iron meteorites  
*Meteoritics & Planetary Science* (1997) A 58

[11] Bach, A., Beyer, L., Hennig, C., Hallmeier, K.H., Sieler J.  
Molekülstruktur, elektrochemisches Verhalten und N K XANES von 1,4-Bis(pyrrol-1-yl-carbonyl)benzol  
*Monatshefte für Chemie*, **128** (1997) 217-224

[10] Hallmeier, K.H., Pavlychev, A.A., Hennig, C., Szargan, R.  
Nitrogen K-shell excitation in organic compounds  
*Poverkhnost* 16 (1997) 123-133

[9] Hennig, C., Hallmeier, K.H., Bach, A., Bender, S., Franke, R., Hormes, J., Szargan, R.  
Influence of substituents on the N K X-ray absorption near-edge structure of pyrrole derivatives  
*Spectrochim. Acta A* **52** (1996) 1079-1083

[8] Hennig, C., Geist, V., Brenner, S.  
Microdiffraction investigations with the Kossel technique on iron meteorites  
*Meteoritics & Planetary Sci.* **31** (1996) A60

[7] Szargan, R., Hennig, C., Hallmeier, K.H.  
XANES investigation of a conducting polyaniline  
*Synchrotron Radiation News* **9** (1996) 34-35

[6] Bach, A., Beyer, L., Gelbrich, T., Hallmeier, K.H., Hennig, C., Möbius, M., Richter, R., Szargan, R., Fernandez, V., Losada, J.  
Metallkomplexe von N-(Pyrrol-1-yl)salicylaldehyden und deren Strukturbestimmung mittels Röntgendiffraktometrie und Röntgenabsorptionsspektroskopie (XANES)  
*Z. Naturforsch.* **51 b** (1996) 757-764

[5] Pavlychev, A.A., Szargan, R., Hallmeier, K.H., Hennig, C., Franke, A.  
Splitting of the 1s<sup>-1</sup>3p resonance at the sulfur atom in planar sulfur gold complexes  
*Physica B* **208&209** (1995) 62-64

[4] Pavlychev, A.A., Hallmeier, K.H., Hennig, C., Hennig, L., Szargan, R.  
Nitrogen K-shell excitations in complex molecules and polypyrrole  
*Chem. Physics* **201** (1995) 547-555

[3] Hagen, A., Hallmeier, K.H., Hennig, C., Szargan, R., Inui, T., Roessner, F.  
State of zinc in MFI type zeolites characterized by XANES and EXAFS  
*Stud. Surf. Sci. Catal.* **94** (1995) 195-202

[2] Hennig, C., Thiel F., Hallmeier, K.H., Szargan, R., Hagen, A., Roessner, F.  
Characterization of Zn centers in ZSM-5 zeolites with X-ray absorption spectroscopy  
*Spectrochimica Acta*, **49A** (1993) 1495-1497

[1] Hallmeier, K.H, Pavlychew, A.A., Szargan, R., Beyer, L., Hennig, C., Thiel, F.  
Splitting of the  $1s^{-1}3p$  resonance in sulfur K XANES by surroundings in compounds  
with sulfur-carbon double bond  
Chemical Physics **178** (1993) 349-356